


- 1 PARTS MUST COMPLY WITH TE SOLDERABILITY SPECIFICATION 109-11-3.
- 2 CONTACT IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN 0.00076 [.000030] GOLD OVER CONTACT LENGTH INDICATED AND TIN PLATED ON SOLDER TAIL END.
- 3 DIMENSIONS IN BRACKETS ARE IN INCHES.



RECOMMENDED P.C. BOARD LAYOUT
FOR 1.57 [.062] THICK P.C. BOARD
SCALE 10:1

OBSOLETE SUPERSEDED BY 1586515-2	PHOS BRZ, TIN LEAD	NYLON,UL94V-2	350211-3	
	<div>2</div>	NYLON,UL94V-2	350211-2	
	PHOS BRZ, PRE-TIN	NYLON,UL94V-2	350211-1	
	PIN CONTACT MATERIAL & FINISH	HOUSING MATERIAL & COLOR	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. WHITAKER	27MAY2005		<div>TE</div> TE Connectivity								
		CHK D. COLEY	27MAY2005										
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. COLEY	27MAY2005		NAME							
<div></div>	0 PLC ± -		PRODUCT SPEC		HEADER ASSEMBLY, 4 CIRCUIT, COMMERCIAL MATE-N-LOK(TM) -								
	1 PLC ± -		APPLICATION SPEC										
	2 PLC ± 0.38[.015]		-										
	3 PLC ± -		-										
	4 PLC ± -		-		SIZE	CAGE CODE	DRAWING NO	RESTRICTED T					
MATERIAL	ANGLES FINISH		WEIGHT		A2	00779	G=350211	-					
SEE TABLE	SEE TABLE		CUSTOMER DRAWING					SCALE	5:1	SHEET	1 OF 1	REV	115